

saratoga spas[®]
PRODUCT GUIDE

SARATOGA
SPA[®] Company
EST. 1984

the
Luxury Spa
Line

The
Special Edition
Spa Line

Adirondack
Spas 

Cottage
Spas
by Saratoga Spas

 **GEYSER**
SPAS

Table of Contents

Luxury Spas

	Page
Polo.....	1 - 2
Adelphi	3 - 4
Putnam	5 - 6
Canfield	7 - 8
Lincoln.....	9 - 10
Empire.....	11 - 12
Broadway	13 - 14
Luxury Spa Options.....	15



Special Edition Spas

	Page
P13	17 - 18
P25	19 - 20
C28.....	21 - 22
C35.....	23 - 24
C40.....	25 - 26
R45	27 - 28
G50.....	29 - 30
L50	29 - 30
Regent.....	31 - 32
Special Edition Spa Options	33



Adirondack Spas

	Page
Keene	37 - 38
Champlain	39 - 40
Cascade.....	41 - 42
Marcy.....	43 - 44
Georgian	45 - 46
Adirondack Spa Options	47



Cottage Spas

	Page
Collins	49 - 50
Whitman	51 - 52
Cottage Spa Options	53



Geyser Spas

	Page
Crystal.....	55 - 56
Peerless.....	57 - 58
Island	59 - 60
Paradise.....	61 - 62
Glacier	63 - 64
Geyser Spa Options	65



the
Luxury Spa
Line



2015 Specifications

POLO XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage®..... 2

Direct Impact™ Therapy System

Versa-Flo™ Jets..... 19

Whisper Clean® Jet..... 1

Vortex Jet™ 1

TOTAL JETS..... 23

Valve Systems

Versa-Flo™ Air Control 1

Versa-Flo™ Valves 1

TOTAL VALVES..... 2

Dimensions

Width 57" 1.45 m

Length 80" 2.03 m

Height 29" 0.74 m

Average Fill 150 GL 568 L

Dry Weight 385 LB 175 kg

Average Full Weight 1638 LB 743 kg

Seating Capacity 2 2

System Control Center

Power Pak - Balboa 220V/50A 230V/16A

Heater 4 kw 3 kw

Luxury Splash™ Lighting Standard Standard

(1) 2 Speed Pump 240 GPM 907 LPM

(1) Circulation Pump 35 GPM 132 LPM

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Luxury 2015

POLO XL





2015 Specifications

ADELPHI XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	25
Whisper Clean® Jet	1
Vortex Jet™	1
TOTAL JETS	31

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	2
TOTAL VALVES	4

Dimensions

Width	67"	1.70 m
Length	80"	2.03 m
Height	29"	0.74 m
Average Fill	240 GL	909 L
Dry Weight	500 LB	227 kg
Average Full Weight	2504 LB	1136 kg
Seating Capacity	2-3	2-3

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Luxury 2015

ADELPHI XL





2015 Specifications

PUTNAM XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	35
Whisper Clean® Jet	1
Vortex Jet™	1
TOTAL JETS	41

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	2
TOTAL VALVES	4

Dimensions

	Domestic	Int'l
Width	75"	1.91 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	340 GL	1287 L
Dry Weight	620 LB	281 kg
Average Full Weight	3457 LB	1568 kg
Seating Capacity	4-5	4-5

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 1 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment

Features

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty
- Relax Stream™ Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

Luxury 2015

PUTNAM XL





2015 Specifications

CANFIELD XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	6
Deflector Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	40
Whisper Clean® Jet	1
Vortex Jet™	1
TOTAL JETS	52

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	3
Roto Stream® Valve	1
TOTAL VALVES	6

Dimensions

	Domestic	Int'l
Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5-6	5-6

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 1 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- Roto Stream® Sequencing Therapy
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2015

CANFIELD XL





2015 Specifications

LINCOLN XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Deflector Stream®	4

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	53
LED Laminar Jets	2
Whisper Clean® Jet.....	1
Vortex Jet™	1
TOTAL JETS	63

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	3
ProJet Stream™ Valve.....	1
Laminar Valve.....	1
Roto Stream® Valve.....	1
TOTAL VALVES	8

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ Waterfall
• Satellite Controls	• Whisper Clean® Jet
• Footwell Spa Drain	• Vortex Jet™ Circulation
• Built-in Headrest Pillows	• Whisper Zone™ Ozone Generator
• Stainless Steel Jet Accents	• Luxury Splash™ Lighting
• Treaded Footwell	• LED Laminar Jets
• Slide Valves	• Roto Stream® Sequencing Therapy
• 7/5/5 Warranty	• CoverAll™ Base
	• TriLayer™ Spa Shell
	• Deluxe Spa Cover
	• Microban® Filtration
	• WeatherAll™ Cabinets

Optional Packages Available*

- Luxury Sounds™ System

Dimensions

	Domestic	Int'l
Width	90"	2.29 m
Length	94"	2.39 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6-7	6-7

System Control Center

Power Pak - Balboa	220V/50A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(2) 1 Speed Pump	390 GPM	1474 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Luxury 2015

LINCOLN XL





2015 Specifications

EMPIRE XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	8
Deflector Stream®	3

Direct Impact™ Therapy System

Versa-Flo™ Jets	46
LED Laminar Jets	2
Whisper Clean® Jet	1
Vortex Jet™	1
TOTAL JETS	63

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	4
ProJet Stream™ Valve	1
Laminar Valve	1
Roto Stream® Valve	1
TOTAL VALVES	9

Standard XL System

Features

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ Waterfall
• Satellite Controls	• Whisper Clean® Jet
• Footwell Spa Drain	• Vortex Jet™ Circulation
• Built-in Headrest Pillows	• Whisper Zone™ Ozone Generator
• Stainless Steel Jet Accents	• Luxury Splash™ Lighting
• Treaded Footwell	• LED Laminar Jets
• Slide Valves	• Roto Stream® Sequencing Therapy
• 7/5/5 Warranty	• CoverAll™ Base
	• TriLayer™ Spa Shell
	• Deluxe Spa Cover
	• Microban® Filtration
	• WeatherAll™ Cabinets

Dimensions

	Domestic	Int'l
Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6-7	6-7

System Control Center

Power Pak - Balboa	220V/50A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(2) 1 Speed Pump	390 GPM	1474 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2015

EMPIRE XL





2015 Specifications

BROADWAY XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	2
Power Massage®	2
Deflector Stream®	4

Direct Impact™ Therapy System

Versa-Flo™ Jets	66
LED Laminar Jets	2
Whisper Clean® Jet	1
Vortex Jet™	1
TOTAL JETS	78

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	6
ProJet Stream™ Valve	1
Laminar Valve	1
Roto Stream® Valve	1

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Satellite Controls
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- LED Laminar Jets
- Roto Stream® Sequencing Therapy
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Dimensions

	Domestic	Int'l
Width	92"	2.34 m
Length	108"	2.74 m
Height	40"	1.02 m
Average Fill	795 GL	3010 L
Dry Weight	1200 LB	544 kg
Average Full Weight	7835 LB	3554 kg
Seating Capacity	9	9

System Control Center

Power Pak - Balboa	220V/50A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(2) 1 Speed Pump	435 GPM	1644 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2015

BROADWAY XL





LUXURY OPTIONS

“Luxury Splash™ Lighting System”

- Standard on all Luxury models
- Luxury Splash™ includes LED Blast™, LED Topside, LED Skimmer Box and LED Waterfall plus LED Facets placed at evenly distributed locations around the waterline. Exterior corner LED facets on Canfield, Lincoln, Empire & Broadway ONLY.
- LED Laminars are available on Empire and Lincoln ONLY

“Luxury Sounds™ System”

- Available option on all Luxury XL Models at an additional cost (Music currently not available on the Polo & Adelphi)
 - Bluetooth Streaming with Dual Pop-Up Speakers and Subwoofer System
 - Factory installed item, see price sheet for details

*The
Special Edition
Spa Line*



2015 Specifications

P I 3

HYDROTHERAPY

Therapy System

TOTAL JETS 13

Valve Systems

TOTAL VALVES 1

Dimensions

Width	59"	1.49 m
Length	82"	2.08 m
Height	29"	0.73 m
Average Fill	150 GL	567 L
Dry Weight	300 LB	136 kg
Average Full Weight	1500 LB	680 kg
Seating Capacity	1-2	1-2

Domestic

Int'l

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

System Control Center

Power Pak - Balboa	220V/50A 110V/20A	230V/16A
Heater	1kw or 4kw	3kw
Digital Controls	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

P I 3





2015 Specifications

P 25

HYDROTHERAPY

Therapy System

TOTAL JETS..... 25

Valve Systems

TOTAL VALVES..... 2

Dimensions

Width	78.5" Diameter	2 m Diameter
Height	36.5"	0.93 m
Average Fill	255 GL	965 L
Dry Weight	350 LB	159 kg
Average Full Weight	2438 LB	1106 kg
Seating Capacity	4-6	4-6

Domestic

Int'l

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Digital Controls	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

P 25





2015 Specifications

C 2 8

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	27
TOTAL JETS	28

Valve Systems

Versa-Flo™ Air Control	1
Versa-Flo™ Valve	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	318 kg
Average Full Weight	3500 LB	1588 kg
Seating Capacity	4-5	4-5

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

C 28





2015 Specifications

C 3 5

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	35
TOTAL JETS	36

Valve Systems

Versa-Flo™ Air Control	1
Versa-Flo™ Valve	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	780 LB	354 kg
Average Full Weight	3911 LB	1774 kg
Seating Capacity	5-6	5-6

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

C35



**Shown with Saratoga Sounds™ System*



2015 Specifications

C40

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	40
TOTAL JETS	41

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
TOTAL VALVES	3

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5	5

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

C40





2015 Specifications

R 45

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	44
TOTAL JETS	45

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
TOTAL VALVES	3

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	84"	2.13 m
Length	90"	2.29 m
Height	38"	0.97 m
Average Fill	425 GL	1609 L
Dry Weight	750 LB	340 kg
Average Full Weight	4297 LB	1949 kg
Seating Capacity	6	6

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

R45





2015 Specifications

G 50

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®.....	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	50
LED Laminar Jets	2
TOTAL JETS	53

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
Laminar Jet Valve	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6	6

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Laminar Jets
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

G 5 0





2015 Specifications

L50

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	48
LED Laminar Jets	2
TOTAL JETS	51

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
Laminar Jet Valve	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	90"	2.29 m
Length	94"	2.39 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	7	7

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sound™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Laminar Jets
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Special Edition 2015

L 5 0





2015 Specifications

REGENT

HYDROTHERAPY

Passive Impact™ CFE® Therapy System

Power Massage Plus® Jet.....	1
Power Massage® Jet	1
Power Stream.....	4
TOTAL JETS	6

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	47
Whisper Clean® Jet.....	1
Vortex Jet™	1
TOTAL JETS	55

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	3
Roto Stream™ Valve.....	1
TOTAL VALVES	6

Dimensions

Width	84"	2.13 m
Length	90"	2.29 m
Height	38"	0.97 m
Average Fill	425 GL	1609 L
Dry Weight	750 LB	340 kg
Average Full Weight	4297 LB	1949 kg
Seating Capacity	6	6

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 1 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Microban® Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- CoverAll™ Base
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ Stereo System
- Roto Stream® Sequencing Therapy

Standard System

Equipment

- Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- Luxury Splash™ Lighting
- 7/3/2 Warranty

Features

- LED Waterfall
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Manual Sequencing Therapy
- CoverAll™ Base
- TriLayer™ Spa Shell
- Deluxe Spa Cover
- Microban® Filtration
- WeatherAll™ Cabinets

Special Edition 2015

REGENT





SPECIAL EDITION OPTIONS

“Thermal Bond™ Full Foam Insulation”

- Available option on all models at additional cost
 - Factory installed item, see price sheet for details
-

“Custom LED Lighting”

- Standard Feature on all models (except P13 & P25) - Includes LED Blast™, LED Skimmer Box, LED Waterfall and LED Footwell Lighting
 - LED Laminars are available on the G50 and L50 ONLY
 - Regent not available with LED Footwell Lighting
 - Factory Installed Item
-

“Regent Splash™ Lighting System”- Available as Standard

- Available option on the Regent ONLY, at an additional cost
 - Regent Splash™ is LED Blast™, LED Topside, LED Skimmer Box and LED Waterfall plus LED Facets placed at evenly distributed locations around the waterline
 - Regent NOT available with LED Footwell Lighting
 - Factory installed item
-

“Saratoga Sounds™ System”

- Available option on all models at an additional cost (Not available on P13 & P25)
 - Bluetooth Streaming with Dual Flat Speakers
 - A Subwoofer System can be added to the Saratoga Sounds for an additional cost
 - Factory installed item
-

“Luxury Sounds™ System”

- Available option only on Regent Spec Ed at an additional cost
- Bluetooth Streaming with Dual Pop-Up Speakers and Subwoofer System
 - Factory installed item





2015 Specifications

KEENE SE

Hydrotherapy

Passive Impact™ Therapy System
Power Massage®..... 1

Direct Impact™ Therapy System

Versa-Flo™ Jets..... 19
TOTAL JETS 20

Valve Systems

Versa-Flo™ Air Control 1
Versa-Flo™ Valve..... 1
TOTAL VALVES 2

Dimensions

	Domestic	Int'l
Width	57"	1.45 m
Length	80"	2.03 m
Height	29"	0.74 m
Average Fill	150 GL	568 L
Dry Weight	385 LB	175 kg
Average Full Weight	1638 LB	743 kg
Seating Capacity	2	2

System Control Center

Power Pak - Balboa	110V/20A 220V/50A	230V/16A
Heater	1kw or 4kw	3kw
Microban® Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

Standard SE System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Duo Circulation™
- Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- WeatherAll™ Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- Stainless Steel Jet Accents

Optional Packages Available*

- Adirondack Splash™ Lighting System
- DuoZone™ Ozone Generator
- Thermal Bond™ Full Foam Insulation

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Duo Clean™ System

Duo Circulation™
Microban® Filtration
Duo Zone™ Ozone Ready

LE Package* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Deluxe Digital Controls & Upgraded Pack

* Additional costs, see Saratoga Dealer Price Sheet

Adirondack 2015

KEENE LE





2015 Specifications

CHAMPLAIN SE

Hydrotherapy

Passive Impact™ Therapy System
Power Massage® 1

Direct Impact™ Therapy System

Versa-Flo™ Jets 24
TOTAL JETS 25

Valve Systems

Versa-Flo™ Air Control 1
Versa-Flo™ Valve 1
TOTAL VALVES 2

Dimensions

Width	67"	1.70 m
Length	80"	2.03 m
Height	34"	0.86 m
Average Fill	240 GL	909 L
Dry Weight	500 LB	227 kg
Average Full Weight	2504 LB	1136 kg
Seating Capacity	3-4	3-4

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM

Standard SE System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Duo Circulation™
- Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- WeatherAll™ Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- Stainless Steel Jet Accents

Optional Packages Available*

- Adirondack Splash™ Lighting System
- DuoZone™ Ozone Generator
- Thermal Bond™ Full Foam Insulation

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Duo Clean™ System

Duo Circulation™
Microban® Filtration
Duo Zone™ Ozone Ready

LE Package* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Deluxe Digital Controls & Upgraded Pack

* Additional costs, see Saratoga Dealer Price Sheet

Adirondack 2015

CHAMPLAIN LE





2015 Specifications

CASCADE SE

Hydrotherapy

Passive Impact™ Therapy System
Power Massage® 1

Direct Impact™ Therapy System

Versa-Flo™ Jets..... 41
TOTAL JETS 42

Valve Systems

Versa-Flo™ Air Control 2
Versa-Flo™ Valve 2
TOTAL VALVES 4

Dimensions

Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	780 LB	354 kg
Average Full Weight	3911 LB	1774 kg
Seating Capacity	5-6	5-6

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Standard SE System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Duo Circulation™
- Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- WeatherAll™ Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- Stainless Steel Jet Accents

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Duo Clean™ System

Duo Circulation™
Microban® Filtration
Duo Zone™ Ozone Ready

Optional Packages Available*

- Adirondack Splash™ Lighting System
- Saratoga Sounds™ System
- DuoZone™ Ozone Generator
- Thermal Bond™ Full Foam Insulation

LE Package* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Deluxe Digital Controls & Upgraded Pack

* Additional costs, see Saratoga Dealer Price Sheet

Adirondack 2015

CASCADE LE





2015 Specifications

MARCY SE

Hydrotherapy

Passive Impact™ Therapy System
Power Massage®..... 1

Direct Impact™ Therapy System

Versa-Flo™ Jets..... 42
TOTAL JETS..... 43

Valve Systems

Versa-Flo™ Air Control 2
Versa-Flo™ Valve..... 1
TOTAL VALVES..... 3

Dimensions

	Domestic	Int'l
Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5-6	5-6

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 1 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM

Standard SE System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Duo Circulation™
- Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- WeatherAll™ Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- Stainless Steel Jet Accents

Optional Packages Available*

- Adirondack Splash™ Lighting System
- Saratoga Sounds™ System
- DuoZone™ Ozone Generator
- Thermal Bond™ Full Foam Insulation

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Duo Clean™ System

Duo Circulation™
Microban® Filtration
Duo Zone™ Ozone Ready

LE Package* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Deluxe Digital Controls & Upgraded Pack

* Additional costs, see Saratoga Dealer Price Sheet

Adirondack 2015

MARCY LE





2015 Specifications

GEORGIAN SE

Hydrotherapy

Passive Impact™ Therapy System
Power Massage® 1

Direct Impact™ Therapy System

Versa-Flo™ Jets..... 55
TOTAL JETS 56

Valve Systems

Versa-Flo™ Air Control..... 3
Versa-Flo™ Valves 1
TOTAL VALVES 4

Dimensions

	Domestic	Int'l
Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6	6

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 1 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM

Standard SE System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Duo Circulation™
- Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- WeatherAll™ Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- Stainless Steel Jet Accents

Optional Packages Available*

- Adirondack Splash™ Lighting System
- Saratoga Sounds™ System
- DuoZone™ Ozone Generator
- Thermal Bond™ Full Foam Insulation

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Duo Clean™ System

Duo Circulation™
Microban® Filtration
Duo Zone™ Ozone Ready

LE Package* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Deluxe Digital Controls & Upgraded Pack

* Additional costs, see Saratoga Dealer Price Sheet

Adirondack 2015

GEORGIAN LE





ADIRONDACK OPTIONS

“Thermal Bond™ Full Foam Insulation”

- Standard on all LE Models (Except Regent LE)
 - Available option on all SE Models at additional cost, otherwise SE Standard with Thermal Bond™ Wrap
 - Factory installed item, see price sheet for details
-

“Saratoga LED Lighting”

- Standard Feature on all models - Includes LED Blast™, LED Skimmer Box and LED Waterfall
 - Factory Installed Item
-

“Adirondack Splash™ Lighting System”

- Available on all models at an additional cost
 - Adirondack Splash™ is Saratoga LED Lighting plus LED Topside and LED Facets placed at evenly distributed locations around the waterline (LED Topside NOT available on SE Models)
 - Factory installed item, see price sheet for details
-

“DuoZone™ Ozone Generator”

- Available option on all models at an additional cost
 - Dealer installed item, see price sheet for details
-

“Saratoga Sounds™ System”

- Available option at an additional cost on Cascade, Marcy, Georgian and Regent LE
 - Bluetooth Streaming with Dual Flat Speakers
- A Subwoofer System can be added to the Saratoga Sounds for an additional cost
 - Factory installed item, see price sheet for details





2015 Specifications

COLLINS

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	36
TOTAL JETS	37

Valve Systems

Versa-Flo™ Air Control	1
Versa-Flo™ Valve	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

Domestic

Int'l

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Cottage Spas 2015
COLLINS





2015 Specifications

WHITMAN

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®.....	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	37
TOTAL JETS	38

Valve Systems

Versa-Flo™ Air Control	1
Versa-Flo™ Valve	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

Sealed Base
Thermal Bond™ Wrap
Deluxe Spa Cover

Custom Circulation System

Custom Circulation Cycles
Microban® Filtration
Ozone Generator

Dimensions

	Domestic	Int'l
Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
Heater	4kw	3kw
Microban® Filtration	Standard	Standard
Custom LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Custom LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- LED Waterfall
- TriLayer™ Spa Shell
- Microban® Filtration
- Synthetic Cabinets
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- Stainless Steel Jet Accents

Cottage Spas 2015

WHITMAN





COTTAGE SERIES OPTIONS

“Thermal Bond™ Full Foam Insulation”

- Available option on all models at additional cost
- Factory installed item

“Saratoga Sounds™ System”

- Available option on all models at an additional cost
- Bluetooth Streaming with Dual Flat Speakers
- A Subwoofer System can be added to the Saratoga Sounds for an additional cost
- Factory installed item

“Custom LED Lighting”

- Standard Feature on all models - Includes LED Blast™, LED Skimmer Box, LED Waterfall and LED Facets placed at evenly distributed locations around the waterline
- Factory Installed Item





2015 Specifications

CRYSTAL SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 16

Valve Systems

TOTAL VALVES 1

Dimensions

Width

47"

1.20 m

Length

71"

1.80 m

Height

29"

0.73 m

Average Fill

120 GL

454 L

Dry Weight

300 LB

136 kg

Average Full Weight

1260 LB

571 kg

Seating Capacity

1-2

1-2

Thermal Core™ Insulation System

Sealed Base

Thermal Core™ System

Deluxe Spa Cover

MultiPure™ System

MultiPure™ Circulation

Microban® Filtration

MultiZone™ Ozone Ready

System Control Center

Power Pak - Balboa

110V/20A

230V/16A

220V/50A

Heater

1kw or 4kw

3kw

Digital Controls

Standard

Standard

Saratoga LED Lighting

Standard

Standard

(1) 2 Speed Pump

140 GPM

530 GPM

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Options

- Geyser Splash™ Lighting System
- Ozone Generator
- Saratoga Sounds™ System

Features

- MultiPure™ Circulation
- MultiLayer™ Spa Shell
- Multi Weather Exterior
- Deluxe Spa Cover
- Thermal Core™ System
- Stainless Steel Jet Accents
- Waterfall

Geyser 2015

CRYSTAL SPRINGS





2015 Specifications

PEERLESS SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 13

Valve Systems

TOTAL VALVES 1

Dimensions

Width	59"	1.49 m
Length	82"	2.08 m
Height	29"	0.73 m
Average Fill	150 GL	567 L
Dry Weight	300 LB	136 kg
Average Full Weight	1500 LB	680 kg
Seating Capacity	1-2	1-2

Domestic

Int'l

Thermal Core™ Insulation System

Sealed Base

Thermal Core™ System

Deluxe Spa Cover

System Control Center

Power Pak - Balboa	220V/50A	230V/16A
	110V/20A	

Heater 1kw or 4kw 3kw

Digital Controls Standard Standard

Saratoga LED Lighting Standard Standard

(1) 2 Speed Pump 140 GPM 530 LPM

MultiPure™ System

MultiPure™ Circulation

Microban® Filtration

MultiZone™ Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Options

- Geyser Splash™ Lighting System
- Ozone Generator

Features

- MultiPure™ Circulation
- MultiLayer™ Spa Shell
- Multi Weather Exterior
- Deluxe Spa Cover
- Thermal Core™ System
- Stainless Steel Jet Accents
- Waterfall

Geyser 2015

PEERLESS SPRINGS





2015 Specifications

ISLAND SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 8

Valve Systems

TOTAL VALVES 1

Thermal Core™ Insulation System

Sealed Base

Thermal Core™ System

Deluxe Spa Cover

MultiPure™ System

MultiPure™ Circulation

Microban® Filtration

MultiZone™ Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- MultiPure™ Circulation
- MultiLayer™ Spa Shell
- Multi Weather Exterior
- Deluxe Spa Cover
- Thermal Core™ System
- Stainless Steel Jet Accents

Dimensions

Width

78.5" Diameter

2 m Diameter

Height

31.5"

0.80

Average Fill

240 GL

908 L

Dry Weight

310 LB

141 kg

Average Full Weight

2278 LB

1033 kg

Seating Capacity

2-3

2-3

System Control Center

Power Pak - Balboa

110V/20A

230V/16A

220V/50A

Heater

1kw or 4kw

3kw

Digital Controls

Standard

Standard

Microban® Filtration

Standard

Standard

Saratoga LED Lighting

Standard

Standard

(1) 2 Speed Pump

140 GPM

530 LPM

Options

- Geyser Splash™ Lighting System
- Ozone Generator

Geyser 2015

ISLAND SPRINGS





2015 Specifications

PARADISE SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 25

Valve Systems

TOTAL VALVES 2

Thermal Core™ Insulation System

Sealed Base

Thermal Core™ System

Deluxe Spa Cover

MultiPure™ System

MultiPure™ Circulation

Microban® Filtration

MultiZone™ Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- MultiPure™ Circulation
- MultiLayer™ Spa Shell
- Multi Weather Exterior
- Deluxe Spa Cover
- Thermal Core™ System
- Stainless Steel Jet Accents

Dimensions

Width

Height

Average Fill

Dry Weight

Average Full Weight

Seating Capacity

Domestic

78.5" Diameter

36.5"

255 GL

350 LB

2438 LB

4-6

Int'l

2 m Diameter

0.93 m

965 L

158 kg

1105 kg

4-6

System Control Center

Power Pak - Balboa

Heater

Digital Controls

Saratoga LED Lighting

(1) 2 Speed Pump

220V/50A

4kw

Standard

Standard

240 GPM

230V/16A

3kw

Standard

Standard

907 LPM

Options

- Geyser Splash™ Lighting System
- Ozone Generator

Geyser 2015

PARADISE SPRINGS





2015 Specifications

GLACIER SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 25

Valve Systems

TOTAL VALVES 1

Thermal Core™ Insulation System

Sealed Base

Thermal Core™ System

Deluxe Spa Cover

MultiPure™ System

MultiPure™ Circulation

Microban® Filtration

MultiZone™ Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- MultiPure™ Circulation
- MultiLayer™ Spa Shell
- Multi Weather Exterior
- Deluxe Spa Cover
- Thermal Core™ System
- Stainless Steel Jet Accents

Dimensions

Width

Height

Average Fill

Dry Weight

Average Full Weight

Seating Capacity

Domestic

92" Diameter

38"

425 GL

600 LB

4000 LB

6-8

Int'l

2.33m Diam.

0.96 m

1608 L

272 kg

1814 kg

6-8

System Control Center

Power Pak - Balboa

Heater

Saratoga LED Lighting

(1) 2 Speed Pump

220V/50A

4kw

Standard

240 GPM

220V/50A

3kw

Standard

907 GPM

Options

- Geyser Splash™ Lighting System
- Ozone Generator

Geyser 2015

GLACIER SPRINGS





GEYSER OPTIONS

“Saratoga LED Lighting”

- Standard Feature on all models - Includes LED Blast™, LED Skimmer Box and LED Waterfall
 - LED Waterfall available on Crystal Springs and Peerless Springs only
 - LED Waterfall and LED Skimmer box NOT available on Glacier Springs
 - Factory Installed Item
-

“Geyser Splash™ Lighting System”

- Available option all models at an additional cost
 - Geyser Splash™ is Saratoga LED Lighting plus LED Facets placed at evenly distributed locations around the waterline
 - Factory installed item, see price sheet for details
-

“Ozone Generator”

- Available option on all models at an additional cost
 - Dealer installed item, see price sheet for details
-

“Saratoga Sounds™ System”

- Available option at an additional cost for the Crystal Springs ONLY
 - Bluetooth Streaming with Dual Flat Speakers
- A Subwoofer System can be added to the Saratoga Sounds for an additional cost
 - Factory installed item, see price sheet for details